

**Drain CARE Kitchen**

**De-scaling of grease traps and Drain Lines in kitchen**

This product represents the next step in technology for biological treatment of drain lines and grease traps. With regular application, this product achieves highly effective grease removal, accompanied by reduction of objectionable odors in drain lines and grease traps, fewer system backups and reduced pumping, on a continuous basis. It is fully biodegradable and environment friendly.

**Areas of Application:**

- Unclogging of Drain Lines and Grease Traps

**Benefits & Advantages:**

- Inhibits production of odor causing gases.
- Restores free flow conditions and ends problem of slow running drain
- Digests grease and scum from drain lines and grease traps.
- Will not damage or corrode pipes and traps.

**Direction for Use :**

Mix contents before use

**GREASETRAPS**

Trap Size	Dosing
200 gal trap (upto 1m <sup>3</sup> )	300 ml per day
500 -1500 gal trap (1m <sup>3</sup> to 5m <sup>3</sup> )	500-600 ml per day
1500 gal or larger (>5m <sup>3</sup> to 10 m <sup>3</sup> )	1000 ml to 1500 ml per day

**DRAINLINES**

SIZE	FREQUENCY	NOTES	DOSING*
RESIDENTIAL and HOTEL Slow Running Drains	3 Week start up Treatment	Run hot water for 30 seconds before dosing product directly into drain. For best result, dose at low flow conditions or when drain will not be used for several hours	60-120 ml per day
RESIDENTIAL and HOTEL Maintenance	Ongoing	For best result, dose at low flow conditions or when drain will not be used for several hours	60-120 ml per week
COMMERCIAL Slow Running Drains	3 Week start up Treatment	For best result, dose at low flow conditions or when drain will not be used for several hours	180-240 ml per day
COMMERCIAL Maintenance	Ongoing	For best result, dose at low flow conditions or when drain will not be used for several hours	120-240 ml per week
FLOOR DRAINS	Ongoing	Start-up: Treat drains daily for 3-4 weeks to achieve better flow rates. Maintenance: dose weekly	Dilute 125 to 170 ml per liter of Water for 2" to 4" drains

## **Ekam Eco Solutions Pvt. Ltd.**

A-425, Sarita Vihar  
New Delhi - 110076, India



### **Product Characteristics:**

- pH Range : 8.1 — 8.5
- Flash Point : Non Flammable
- Appearance : Blue Liquid
- Fragrance : Herbal
  
- Packaging : Minimum quantities apply. Please contact dealer/supplier for detailed price list.
- Pack size(s) 2 x 5 kg (or L)
- Shelf Life & Storage: 2 years at 20 C to 35° C. Store in cool, dry place.

Precautions: While this product is non-toxic, non-corrosive and non poisonous, it is nevertheless wise to keep it out of reach of children, and to follow basic precautions of use. Wash hands with warm, soapy water after use. Avoid contact with eyes, open cuts or sores. In case of eye contact, flush with water for 15 minutes. Call a physician. Do not use this container for storing beverages or other liquids.

Contains Bio Active Formulation contains no phosphorus.

**Material Safety Data Sheet****DESCRIPTION / PROPERTIES (nature, reactivity):**

Drain CARE Restroom is biological formulation having a blend of non-pathogenic micro-organisms and free enzymes achieves highly effective grease removal, accompanied by reduction of objectionable odour control in drain lines & grease traps on continuous basis without harming the present system and environment.

**COMPOSITION / INFORMATION ON INGREDIENTS**

Non pathogenic organisms - NOT CLASSIFIED AS HAZARDOUS

Hazardous Components	% w/w	Symbol	R Phrases	CAS No
Proprietary Blend of Microorganisms	-	-	-	
Tetra sodium EDTA	-	Xi	R41	64-02-8
Ethoxylated alcohol			-	78330-21-9
DI (Propylene glycol) Butyl Ether				35884-42-5 3

**HAZARD IDENTIFICATION**

- a) **Fire/Explosion Hazard** (stability, flammability, combustion products): Not classified as flammable or combustible material. Aqueous suspension.
- b) **Health Hazard** (inhalation, ingestion, contact with skin or eyes): Not classified as hazardous for use. May cause irritation on prolonged or repeated skin contact. Low risk from inhalation. Low order of acute oral toxicity but do not ingest.
- c) **Environmental Hazard**: Not classified as hazardous to the environment.

**FIRST AID MEASURES****INHALATION**

Very low risk in normal usage since product is non-volatile. Mist may cause irritation to the respiratory tract. If affected, remove to fresh air, keep warm and at rest. Obtain medical attention in severe cases

**SKIN CONTACT**

Avoid unnecessary contact and keep away from broken skin or open wounds. Wash thoroughly all affected areas with soap and water. Remove contaminated clothing and launder before re-use. Wash hands before eating or drinking.

**EYE CONTACT**

Irrigate with plenty of clean running water. Seek medical attention if irritation persists.

**INGESTION**

## Ekam Eco Solutions Pvt. Ltd.

A-425, Sarita Vihar  
New Delhi - 110076, India



Do not swallow, rinse out mouth with water. Do not induce vomiting. If swallowed in quantity seek medical attention as a precautionary measure. Material may cause stomach disorder. Irritation of the mouth, pharynx esophagus and stomach can develop following significant ingestion.

### FIRE FIGHTING MEASURES

Suitable extinguishing media: Since the product is not combustible or flammable, if involved in a fire, use extinguishing media appropriate to the source of the fire.

Protection for fire fighters: Wear self-contained breathing apparatus. Wear protective clothing.

### ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Mark contaminated area with signs & use excess water to clean.

Environmental Precautions: Product is not environmentally hazardous, on the contrary it favors digestion of oils & grease in sewers, WTP's & WWT facilities.

Clean up Procedures: Disperse spillages with excess of water in the drains.

### HANDLING AND STORAGE:

- Handling: After handling wash hands with soap and water.
- Storage: May be stored for period of one year in plastic containers as supplied. Use in 8 hours of dilution.
- Avoid temperatures above 45 °C and protect from frost. Keep in cool and dry place.

### EXPOSURE CONTROLS / PERSONAL PROTECTION:

**Engineering Controls:** Provide eyewash station

**Personal Protection:**Hand: Use of rubber gloves recommended

**Eyes:** Use of safety glasses recommended.

### PHYSICAL AND CHEMICAL PROPERTIES:

Vapour Pressure: Equivalent to Water

Solubility in water: Completely Miscible

pH Value :7.5-9.0

Colour : Cloudy Blue

### STABILITY AND REACTIVITY:

- Stability: Stable
- Materials to avoid: Avoid contact with strong oxidisers. Strong acids or alkalis may render the product inactive.
- Temperature: Avoid extremes of temperatures

### TOXICOLOGICAL INFORMATION:

Registered office: A-425, Sarita Vihar, New Delhi- 110076, Delhi, India  
Corporate Identity Number: U90000DL2013PTC252957  
Phone No.: 011-6500 7001 / 02 / 03  
info@ekamecosolutions.com

## Ekam Eco Solutions Pvt. Ltd.

A-425, Sarita Vihar  
New Delhi - 110076, India



### Health Effects:

- **Respiratory:** Mist may cause irritation to the respiratory tract.
- **Skin:** May cause irritation on prolonged or repeated skin contact.
- **Eyes:** May cause irritation.
- **Ingestion:** May cause irritation in mouth, throat, stomach and intestinal canal. Contains non-pathogenic bacterial cultures.

### ECOLOGICAL INFORMATION:

- **Degradability:** All components are readily biodegradable.
- **Bio-accumulation:** No bio-accumulation is expected. The product is biodegradable and water soluble.

### DISPOSAL CONSIDERATION :

Dispose of under Local Authority Guidelines.

### TRANSPORT INFORMATION:

Not classified as dangerous for transport.

### REGULATORY INFORMATION :

Not classified as hazardous for use.

### SAFETY PHRASES:

- S2                    Keep out of reach of children.
- S26                    In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S46                    If swallowed seek medical attention and show the container or label

### OTHER INFORMATION :

Biological degreaser

### PLEASE NOTE:

The information in this Safety Data Sheet is based upon knowledge available at the time of compilation. It is intended to describe the product only in terms of Health & Safety requirements. It does not signify any warranty with regards to specific properties or specifications.